



# F-TYPE

TECHNICAL SPECIFICATION  
APRIL 2021



# F-TYPE COUPÉ - TECHNICAL SPECIFICATION

<b>POWERTRAIN</b>	<b>P300</b>	<b>P450</b>	<b>P575</b>
Transmission	Automatic	Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Rear Wheel Drive (RWD)	RWD	RWD	AWD
Maximum power (PS / kW / rpm)	300 / 221 / 5.500	450 / 331 / 6.000	575 / 423 / 6.500
Maximum torque (Nm / rpm)	400 / 1.500-4.500	580 / 2.500-5.000	700 / 3.500-5.000
Capacity (cc)	1.997	5.000	5.000
No, of cylinders / Valves per cylinder	4 / 4	8 / 4	8 / 4
Cylinder layout	Inline	Vee	Vee
Bore / stroke (mm)	83 / 92,3	92,5 / 93	92,5 / 93
Compression ratio (:1)	9,5+ / -0,5	9,5	9,5
<b>PERFORMANCE</b>			
Acceleration (secs) 0-100 km/h (0-60 mph)	5,7 (5,4)	4,6 (4,4)	4,6 (4,4)
Acceleration (secs) 80-120 km/h (50-75 mph)	3,7 (3,7)	2,9 (2,9)	3,0 (3,0)
Maximum speed km/h (mph)	250 (155)	285 (177)	285 (177)
<b>WEIGHTS (kg)*</b>			
Unladen weight (EU)**	1.628	1.781	1.855
Unladen weight (DIN)†	1.553	1.706	1.780
Gross Vehicle Weight (GVW)	1.925	2.050	2.150

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

Some features on images may vary between optional and standard for different model years and due to the impact of Covid-19, many of our images have not been updated to reflect 22MY specifications. Please refer to the car configurator and additionally consult your local Retailer for detailed 22MY specifications and do not base an order on website imagery alone. Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice.

# F-TYPE COUPÉ - TECHNICAL SPECIFICATION

<b>FUEL ECONOMY</b>			<b>P300</b>	<b>P450</b>	<b>P575</b>	
Fuel tank capacity - useable litres			63	70	70	
Gasoline Particulate Filter (GPF)			■	■	■	
<b>WLTP*</b>						
Driveline			RWD	RWD	AWD	AWD
WLTP Consumption	Low	l/100km (mpg)	13,3-13,5 (21,2-20,9)	17,1-17,5 (16,5-16,1)	17,5-17,6 (16,1-16,1)	17,5 (16,1)
	Medium	l/100km (mpg)	9,6-9,9 (29,4-28,5)	10,5-10,7 (26,9-26,4)	10,8-11,0 (26,2-25,7)	10,9 (25,9)
	High	l/100km (mpg)	8,4-8,6 (33,6-32,8)	9,0-9,1 (31,4-31,0)	9,1-9,3 (31,0-30,4)	9,0 (31,4)
	Extra High	l/100km (mpg)	8,9-9,2 (31,7-30,7)	9,5-9,7 (29,7-29,1)	9,8-9,9 (28,8-28,5)	9,5 (29,7)
	Combined	l/100km (mpg)	9,5-9,7 (29,7-29,1)	10,5-10,8 (26,9-26,2)	10,8-11,0 (26,2-25,7)	10,7 (26,4)
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	303-306	389-397	397-400	398
	Medium	(g/km)	219-225	238-244	246-250	247
	High	(g/km)	190-196	205-207	207-211	205
	Extra High	(g/km)	202-209	215-220	224-226	217
	Combined	(g/km)	215-221	239-244	246-249	243

■ Standard.

\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

## F-TYPE CONVERTIBLE - TECHNICAL SPECIFICATION

<b>POWERTRAIN</b>	<b>P300</b>	<b>P450</b>	<b>P450</b>	<b>P575</b>
Transmission	Automatic		Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Rear Wheel Drive (RWD)	RWD	RWD	AWD	AWD
Maximum power (PS / kW / rpm)	300 / 221 / 5.500	450 / 331 / 6.000	450 / 331 / 6.000	575 / 423 / 6.500
Maximum torque (Nm / rpm)	400 / 1.500-4.500	580 / 2.500-5.000	580 / 2.500-5.000	700 / 3.500-5.000
Capacity (cc)	1.997	5.000	5.000	5.000
No. of cylinders / Valves per cylinder	4 / 4	8 / 4	8 / 4	8 / 4
Cylinder layout	Inline	Vee	Vee	Vee
Bore / stroke (mm)	83 / 92,3	92,5 / 93	92,5 / 93	92,5 / 93
Compression ratio (:1)	9,5+ / -0,5	9,5	9,5	9,5
<b>PERFORMANCE</b>				
Acceleration (secs) 0-100 km/h (0-60 mph)	5,7 (5,4)	4,6 (4,4)	4,6 (4,4)	3,7 (3,5)
Acceleration (secs) 80-120 km/h (50-75 mph)	3,7 (3,7)	2,9 (2,9)	3,0 (3,0)	2,3 (2,3)
Maximum speed km/h (mph)	250 (155)	285 (177)	285 (177)	300 (186)
<b>WEIGHTS (kg)*</b>				
Unladen weight (EU)**	1.646	1.793	1.865	1.865
Unladen weight (DIN)†	1.571	1.718	1.790	1.790
Gross Vehicle Weight (GVW)	1.925	2.050	2.150	2.150

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

# F-TYPE CONVERTIBLE - TECHNICAL SPECIFICATION

<b>FUEL ECONOMY</b>			<b>P300</b>	<b>P450</b>	<b>P575</b>	
Fuel tank capacity - useable litres			63	70	70	
Gasoline Particulate Filter (GPF)			■	■	■	
<b>WLTP*</b>						
Driveline			RWD	RWD	AWD	AWD
WLTP Consumption	Low	l/100km (mpg)	13,3-13,5 (21,2-20,9)	17,2-17,5 (16,4-16,1)	17,5-17,6 (16,1-16,1)	17,5 (16,1)
	Medium	l/100km (mpg)	9,7-9,9 (29,1-28,5)	10,6-10,8 (26,6-26,2)	10,9-11,0 (25,9-25,7)	10,9 (25,9)
	High	l/100km (mpg)	8,5-8,7 (33,2-32,5)	9,1-9,1 (31,0-31,0)	9,1-9,2 (31,0-30,7)	9,0 (31,4)
	Extra High	l/100km (mpg)	9,0-9,2 (31,4-30,7)	9,6-9,7 (29,4-29,1)	9,8-9,9 (28,8-28,5)	9,5 (29,7)
	Combined	l/100km (mpg)	9,6-9,8 (29,4-28,8)	10,7-10,8 (26,4-26,2)	10,8-10,9 (26,2-25,9)	10,7 (26,4)
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	303-307	392-397	397-400	398
	Medium	(g/km)	221-226	240-244	247-250	247
	High	(g/km)	193-197	206-208	207-210	205
	Extra High	(g/km)	205-210	218-220	222-224	217
	Combined	(g/km)	218-222	242-245	246-248	243

■ Standard.

\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

# F-TYPE COUPÉ & CONVERTIBLE - DIMENSIONS

**Overall Length** 4.470mm

**Overall Width** (inc. mirrors) 2.042mm  
(mirrors folded) 1.923mm

**Overall Height**  
Coupé 1.311mm / Convertible 1.307mm

**Wheelbase** 2.622mm

**Front Track** 1.596mm\*

**Rear Track** 1.647mm\*\*

**Ground Clearance from** 100mm

**Turning Circle** (kerb-to-kerb)  
RWD 10,63m / AWD 11,27m

**Loadspace Volume**

Coupé Dry<sup>†</sup> 336 litres / Wet<sup>††</sup> 509 litres

Convertible Dry<sup>†</sup> 132 litres / Wet<sup>††</sup> 233 litres



1.596mm\*



1.647mm\*\*



2.622mm

4.470mm

\*1.584mm on 20" wheels. \*\*1.628 on 20" wheels. 1.610mm on R. <sup>†</sup>Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). <sup>††</sup>Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.