

F-TYPE

JAGUAR

TECHNICAL SPECIFICATION  
OCTOBER 2022

# F-TYPE COUPÉ - TECHNICAL SPECIFICATION

<b>POWERTRAIN</b>	<b>P300</b>	<b>P450</b>	<b>P575</b>
Transmission	Automatic	Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Rear Wheel Drive (RWD)	RWD	RWD	AWD
Maximum power (PS / kW / rpm)	300 / 221 / 5.500	450 / 331 / 6.000	575 / 423 / 6.500
Maximum torque (Nm / rpm)	400 / 1.500-4.500	580 / 2.500-5.000	700 / 3.500-5.000
Capacity (cc)	1.997	5.000	5.000
No, of cylinders / Valves per cylinder	4 / 4	8 / 4	8 / 4
Cylinder layout	Inline	Vee	Vee
Bore / stroke (mm)	83 / 92,3	92,5 / 93	92,5 / 93
Compression ratio (:1)	9,5+ / -0,5	9,5	9,5
<b>PERFORMANCE</b>			
Acceleration (secs) 0-100 km/h (0-60 mph)	5,9 (5,6)	4,6 (4,4)	4,6 (4,4)
Acceleration (secs) 80-120 km/h (50-75 mph)	3,7 (3,7)	2,9 (2,9)	3,0 (3,0)
Maximum speed km/h (mph)	250 (155)	285 (177)	285 (177)
<b>WEIGHTS (kg)*</b>			
Unladen weight (EU)**	1.628	1.781	1.855
Unladen weight (DIN)†	1.553	1.706	1.780
Gross Vehicle Weight (GVW)	1.925	2.050	2.150

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

Some features on images may vary between optional and standard for different model years and due to the impact of Covid-19, many of our images have not been updated to reflect 24MY specifications. Please refer to the car configurator and additionally consult your local Retailer for detailed 24MY specifications and do not base an order on website imagery alone. Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice.

# F-TYPE COUPÉ - TECHNICAL SPECIFICATION

<b>FUEL ECONOMY</b>			<b>P300</b>	<b>P450</b>	<b>P575</b>	
Fuel tank capacity - useable litres			63	70	70	
Gasoline Particulate Filter (GPF)			■	■	■	
<b>WLTP*</b>						
Driveline			RWD	RWD	AWD	AWD
WLTP Consumption	Low	l/100km (mpg)	12,7-13,5 (22,2-20,9)	17,5-17,3 (16,1-16,3)	17,8-17,9 (15,9-15,8)	17,3 (16,3)
	Medium	l/100km (mpg)	9,4-9,6 (30,1-29,4)	10,7 (26,4)	10,8-11,0 (26,2-25,7)	10,7 (26,4)
	High	l/100km (mpg)	8,1-8,2 (34,9-34,4)	8,5-8,8 (33,2-32,1)	8,8-9,0 (32,1-31,4)	8,8 (32,1)
	Extra High	l/100km (mpg)	9,0-9,2 (31,4-30,7)	9,0-9,3 (31,4-30,4)	9,2-9,3 (30,7-30,4)	9,1 (31,0)
	Combined	l/100km (mpg)	9,3-9,5 (30,4-29,7)	10,3-10,5 (27,4-26,9)	10,6-10,7 (26,6-26,4)	10,5 (26,9)
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	290-309	399-396	405-409	396
	Medium	(g/km)	215-219	245	247-251	345
	High	(g/km)	184-187	195-200	202-204	202
	Extra High	(g/km)	206-209	206-213	210-213	208
	Combined	(g/km)	212-218	236-240	241-244	239

■ Standard.

\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

## F-TYPE CONVERTIBLE - TECHNICAL SPECIFICATION

<b>POWERTRAIN</b>	<b>P300</b>	<b>P450</b>	<b>P450</b>	<b>P575</b>
Transmission	Automatic		Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Rear Wheel Drive (RWD)	RWD	RWD	AWD	AWD
Maximum power (PS / kW / rpm)	300 / 221 / 5.500	450 / 331 / 6.000	450 / 331 / 6.000	575 / 423 / 6.500
Maximum torque (Nm / rpm)	400 / 1.500-4.500	580 / 2.500-5.000	580 / 2.500-5.000	700 / 3.500-5.000
Capacity (cc)	1.997	5.000	5.000	5.000
No. of cylinders / Valves per cylinder	4 / 4	8 / 4	8 / 4	8 / 4
Cylinder layout	Inline	Vee	Vee	Vee
Bore / stroke (mm)	83 / 92,3	92,5 / 93	92,5 / 93	92,5 / 93
Compression ratio (:1)	9,5+ / -0,5	9,5	9,5	9,5
<b>PERFORMANCE</b>				
Acceleration (secs) 0-100 km/h (0-60 mph)	5,9 (5,6)	4,6 (4,4)	4,6 (4,4)	3,7 (3,5)
Acceleration (secs) 80-120 km/h (50-75 mph)	3,7 (3,7)	2,9 (2,9)	3,0 (3,0)	2,3 (2,3)
Maximum speed km/h (mph)	250 (155)	285 (177)	285 (177)	300 (186)
<b>WEIGHTS (kg)*</b>				
Unladen weight (EU)**	1.646	1.793	1.865	1.865
Unladen weight (DIN)†	1.571	1.718	1.790	1.790
Gross Vehicle Weight (GVW)	1.925	2.050	2.150	2.150

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

# F-TYPE CONVERTIBLE - TECHNICAL SPECIFICATION

<b>FUEL ECONOMY</b>			<b>P300</b>	<b>P450</b>	<b>P575</b>	
Fuel tank capacity - useable litres			63	70	70	
Gasoline Particulate Filter (GPF)			■	■	■	
<b>WLTP*</b>						
Driveline			RWD	RWD	AWD	AWD
WLTP Consumption	Low	l/100km (mpg)	12,9-13,6 (21,9-20,8)	17,4-17,3 (16,2-16,3)	17,8-17,9 (15,9-15,8)	17,3 (16,3)
	Medium	l/100km (mpg)	9,5-9,6 (29,7-29,4)	10,7 (26,4)	10,9-11,0 (25,9-25,7)	10,7 (26,4)
	High	l/100km (mpg)	8,1-8,2 (34,9-34,4)	8,7-8,8 (32,5-32,1)	8,8-8,9 (32,1-31,7)	8,8 (32,1)
	Extra High	l/100km (mpg)	9,1-9,2 (31,0-30,7)	9,3-9,4 (30,4-30,1)	9,2-9,3 (30,7-30,4)	9,1 (31,0)
	Combined	l/100km (mpg)	9,4-9,6 (30,1-29,4)	10,4-10,5 (27,2-26,9)	10,6-10,7 (26,6-26,4)	10,5 (26,9)
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	295-311	398-396	406-409	396
	Medium	(g/km)	216-219	245	248-250	345
	High	(g/km)	185-188	198-201	201-204	202
	Extra High	(g/km)	208-210	211-215	209-211	208
	Combined	(g/km)	215-219	238-240	241-243	239

■ Standard.

\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

# F-TYPE COUPÉ & CONVERTIBLE - DIMENSIONS

**Overall Length** 4.470mm

**Overall Width** (inc. mirrors) 2.042mm  
(mirrors folded) 1.923mm

**Overall Height**  
Coupé 1.311mm / Convertible 1.307mm

**Wheelbase** 2.622mm

**Front Track** 1.596mm\*


**Rear Track** 1.647mm\*\*

**Ground Clearance from** 100mm

**Turning Circle** (kerb-to-kerb)  
RWD 10,63m / AWD 11,27m

**Loadspace Volume**

Coupé Dry<sup>†</sup> 336 litres / Wet<sup>††</sup> 509 litres  
Convertible Dry<sup>†</sup> 132 litres / Wet<sup>††</sup> 233 litres



\*1.584mm on 20" wheels. \*\*1.628 on 20" wheels. 1.610mm on R. <sup>†</sup>Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm).  
<sup>††</sup>Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.