

**ALL-ELECTRIC**  
**I-PACE**  
**TECHNICAL SPECIFICATION**  
**FEBRUARY 2022**





# I-PACE - TECHNICAL SPECIFICATION

<b>POWERTRAIN</b>			<b>EV320</b>	<b>EV400</b>
Maximum Power PS (kW)			320 (236)	400 (294)
Maximum Torque (Nm)			500	696
Battery (kWh)			90	90
Battery capacity Total (Usable) kW			84,7	84,7
Driveline			AWD	AWD
<b>PERFORMANCE</b>				
Acceleration (secs) 0-100 km/h (0-60 mph)			6,4 (6,1)	4,8 (4,5)
Maximum speed km/h (mph)			180 (112)	200 (124)
<b>NEDC*</b>				
Range	Combined	km	-	446
Consumption	Combined	kWh/100km	-	230
<b>WLTP**</b>				
Range	Low	km (miles)	533-618 (331-384)	533-618 (331-384)
	Medium	km (miles)	503-604 (313-375)	503-604 (313-375)
	High	km (miles)	445-518 (277-322)	445-518 (277-322)
	Extra High	km (miles)	320-361 (199-224)	320-361 (199-224)
	Combined	km (miles)	408-470 (254-292)	408-470 (254-292)
Consumption	Low	kWh/100km (miles)	16,8-19,2 (27,0-30,8)	16,8-19,2 (27,0-30,8)
	Medium	kWh/100km (miles)	17,2-20,3 (27,6-32,6)	17,2-20,3 (27,6-32,6)
	High	kWh/100km (miles)	20,0-23,0 (32,2-37,0)	20,0-23,0 (32,2-37,0)
	Extra High	kWh/100km (miles)	28,7-32,2 (46,2-51,8)	28,7-32,2 (46,2-51,8)
	Combined	kWh/100km (miles)	22,0-25,2 (35,4-40,5)	22,0-25,2 (35,4-40,5)
CO <sub>2</sub> Emissions (g/km)			0	0

- Not available

\*The figures provided are NEDC calculated from official manufacturer's tests. Figures may vary according to environment and driving style. For comparison purposes only. Real-world figures may differ. \*\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation with a fully charged battery. For comparison purposes only. Real-world figures may differ. Energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route.

# I-PACE - TECHNICAL SPECIFICATION

## CHARGING TIMES\*

	EV320	EV400
Home Charger / Wall box 7kW (hours)	12,75 to 100%	12,75 to 100%
Home Charger / Wall box 7kW km (miles)	35 (22) per hour of charge	35 (22) per hour of charge
Home Charger / Wall box 11kW (hours)	8,58 to 100%	8,58 to 100%
Home Charger / Wall box 11kW km (miles)	53 (33) per hour of charge	53 (33) per hour of charge
DC Charger 50kW km (miles)	63 (39) per 15 mins of charge	63 (39) per 15 mins of charge
DC Charger 100kW km (miles)	127 (78) per 15 mins of charge	127 (78) per 15 mins of charge
Domestic Plug km (miles)**	9,5 (5,9) per hour of charge	9,5 (5,9) per hour of charge
Charging cable length (m)	5	5

## BRAKES

Front type	Ventilated disc	Ventilated disc
Front diameter (mm)	350	350
Rear type	Ventilated disc	Ventilated disc
Rear diameter (mm)	325	325
Park brake	Electric Park Brake (EPB) integrated into brake caliper	

## WEIGHTS (kg)<sup>†</sup>

Unladen weight (EU) <sup>††</sup>	2.208	2.208
Unladen weight (DIN) <sup>‡</sup>	2.133	2.133
Gross Vehicle Weight (GVW)	2.670	2.670

## TOWING (kg)

Unbraked trailer	750	750
Maximum towing	750	750
Maximum coupling point (nose weight)	45	45
Maximum vehicle and trailer combination	3.420	3.420

## ROOF CARRYING (kg)

Maximum roof load (including cross bars)	75	75
--	----	----

\*Market dependent. Charging times will vary dependent on many factors, including but not limited to: the age, condition, temperature and existing charge of the battery; facility used and duration of charge.

\*\*Optional Home charging cable required. †Weights reflect vehicles to standard specifications. Optional extras increase weight. ††Includes a 75kg driver and full fluids. ‡Includes full fluids.

# I-PACE - DIMENSIONS

## Vehicle Height

With roof antenna 1.566mm

## Headroom

Maximum front / rear headroom

With standard roof 994 / 961mm

With Fixed Panoramic roof fitted 1.013 / 968mm

## Legroom

Maximum front legroom 1.040mm

Maximum rear legroom 890mm

## Loadspace Capacity

Height 732mm, Width 1.244mm

Loadspace width between arches 1.060mm

## Rear seats upright

Length at floor 967mm

Maximum loadspace volume behind second row

Dry\* 505 litres, Wet\*\* 656 litres

## Rear seats forward

Length at floor 1.797mm

Maximum loadspace volume behind first row

Dry\* 1.163 litres, Wet\*\* 1.453 litres


## Turning Circle

Kerb-to-kerb 12,35m

Wall-to-wall 12,75m

Turns lock-to-lock 2,52

Overall Width  
(inc. mirrors) 2.139mm  
(mirrors folded) 2.011mm



\*Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm).

\*\*Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.